



REPORT:

TermAppJSONFT: Orkhestra Cross Test Resource Usage Summary

Code Magus Limited (England reg. no. 4024745)
Number 6, 69 Woodstock Road
Oxford, OX2 6EY, United Kingdom
www.codemagus.com
Copyright © 2022 by Code Magus Limited
All rights reserved

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 3 |
| 2 | Server classification from application landscape | 4 |
| 3 | Comparison of current tests to pooled earlier tests | 5 |
| 3.1 | Differences in resource usage | 5 |
| 3.1.1 | Test 1 - TermAppISO | 5 |
| 3.1.1.1 | Resource class: CPU | 5 |
| 3.1.1.2 | Resource class: Network | 7 |
| 3.2 | Increases in resource usage | 9 |
| 3.2.1 | Test 1 - TermAppISO | 10 |
| 3.2.1.1 | Resource class: CPU | 10 |
| 3.2.1.2 | Resource class: Network | 11 |
| 3.3 | Decreases in resource usage | 12 |
| 3.3.1 | Test 1 - TermAppISO | 13 |
| 3.3.1.1 | Resource class: CPU | 13 |
| 3.3.1.2 | Resource class: Network | 14 |
| 4 | Comparison of resource usage across tests | 16 |
| 4.1 | CPU Resource usage for LOAD by CPU Usage using cpu.cpu.system.user in Percent single processor | 17 |
| 4.2 | Network Resource usage for LOAD by Network Usage recv using recv in bits per second | 20 |
| 4.3 | Network Resource usage for LOAD by Network Usage sent using sent in bits per second | 24 |
| 4.4 | CPU Resource usage for MODEL by CPU Usage using cpu.cpu.system.user in Percent single processor | 28 |
| 4.5 | Network Resource usage for MODEL by Network Usage recv using recv in bits per second | 31 |
| 4.6 | Network Resource usage for MODEL by Network Usage sent using sent in bits per second | 35 |
| 4.7 | Network Resource usage for NETWORK by Network Usage recv using recv in bits per second | 39 |
| 4.8 | Network Resource usage for NETWORK by Network Usage sent using sent in bits per second | 41 |
| 4.9 | CPU Resource usage for NETWORK by CPU Usage using cpu.cpu.system.user in Percent single processor | 43 |
| 5 | Session details | 45 |

```
## Loading required package: lattice
##
## Attaching package: 'BSDA'
##
## The following object is masked from 'package:datasets':
##
##     Orange
##
##   : starts: Mon Jan 24 09:20:59 2022
##
## The following files in ../Test_Summary_Comparisons/csv match pattern "Resource_"
##   File = Test_Resource_Summary_D20201207.csv
##   File = Test_Resource_Summary_D20201208.csv
##   File = Test_Resource_Summary_D20201209_2.csv
##   File = Test_Resource_Summary_D20201209.csv
##   File = Test_Resource_Summary_D20201216.csv
##   File = Test_Resource_Summary_D20210115.csv
##   File = Test_Resource_Summary_D20210510.csv
##   File = Test_Resource_Summary_D20210520.csv
##   File = Test_Resource_Summary_D20210628.csv
##   File = Test_Resource_Summary_D20210629.csv
##   File = Test_Resource_Summary_D20210716.csv
##   File = Test_Resource_Summary_D20210719.csv
##   File = Test_Resource_Summary_D20210722.csv
##   File = Test_Resource_Summary_D20210723.csv
##   File = Test_Resource_Summary_D20210727.csv
##   File = Test_Resource_Summary_D20210728.csv
##   File = Test_Resource_Summary_D20210802.csv
##   File = Test_Resource_Summary_D20211020.csv
##   File = Test_Resource_Summary_D20211101.csv
##   File = Test_Resource_Summary_D20211103.csv
##   File = Test_Resource_Summary_D20220105.csv
##   File = Test_Resource_Summary_D20220121.csv
##   File = Test_Resource_Summary_D20220122.csv
##   File = Test_Resource_Summary_D20201207.csv with 12 rows added to total making
##   File = Test_Resource_Summary_D20201208.csv with 12 rows added to total making
##   File = Test_Resource_Summary_D20201209_2.csv with 12 rows added to total making
##   File = Test_Resource_Summary_D20201209.csv with 12 rows added to total making
##   File = Test_Resource_Summary_D20201216.csv with 36 rows added to total making
##   File = Test_Resource_Summary_D20210115.csv with 12 rows added to total making
##   File = Test_Resource_Summary_D20210510.csv with 18 rows added to total making
##   File = Test_Resource_Summary_D20210520.csv with 18 rows added to total making
##   File = Test_Resource_Summary_D20210628.csv with 18 rows added to total making
##   File = Test_Resource_Summary_D20210629.csv with 18 rows added to total making
##   File = Test_Resource_Summary_D20210716.csv with 14 rows added to total making
##   File = Test_Resource_Summary_D20210719.csv with 14 rows added to total making
##   File = Test_Resource_Summary_D20210722.csv with 14 rows added to total making
##   File = Test_Resource_Summary_D20210723.csv with 14 rows added to total making
##   File = Test_Resource_Summary_D20210727.csv with 14 rows added to total making
##   File = Test_Resource_Summary_D20210728.csv with 14 rows added to total making
```

```
##     File = Test_Resource_Summary_D20210802.csv with 14 rows added to total making
##     File = Test_Resource_Summary_D20211020.csv with 12 rows added to total making
##     File = Test_Resource_Summary_D20211101.csv with 12 rows added to total making
##     File = Test_Resource_Summary_D20211103.csv with 18 rows added to total making
##     File = Test_Resource_Summary_D20220105.csv with 18 rows added to total making
##     File = Test_Resource_Summary_D20220121.csv with 18 rows added to total making
##     File = Test_Resource_Summary_D20220122.csv with 18 rows added to total making
```

1 Introduction

There are two elements to this cross test resource usage comparison report. The first compares the current test sessions test(s) estimate of resource and measure for each server group to the corresponding pooled estimates of the resource and measure for that group. The second compares each of the tests current and earlier tests individually for each resource and measure for each server group.

For the pooled comparison, the resource usage data for each resource type and measure of each server group (as grouped by the corresponding server classification file) for the current test(s) (the last set of tests by date) are isolated as individual tests and compared to the corresponding pooled resource usage distribution using a Welch modified two-sample t-test (`tsum.test`) based on the distribution parameters. Each resource type and measure, the estimation of the background usage (*Bias*, or load independent resource usage), for that resource and measure for the current test(s) are compared to the estimated pooled background usage of that resource type and measure. In a similar way, the estimation of the usage rate (*Rate*, or load dependant resource usage, the measure of the cost in terms of the corresponding resource for a rate of one customer arrival per second). For the pooling, the previous test results are filtered so that only the tests for which there is some confidence in the corresponding coefficient estimate are included in the pool statistics. A set resource usage coefficient estimate is included in the pooling of the corresponding *p*-value does not exceed $\alpha = 0.05$ (so that there is some confidence in the pooled coefficients). The *Bias* and *Rate* together with the actual customer arrival rate (*ArrivalRate*) give an estimation of the cost in terms of the resource being considered as $\text{TotalCost} = \text{Bias} + \text{ArrivalRate} * \text{Rate}$.

For each of the resource types and measures (Percent CPU Utilisation) and for each of the coefficient estimates (*Bias* and *Rate*), three `tsum.test`s are performed: One two-sided test to for differences in the corresponding distributions, and two one-sided tests, one to test for increases in the resource usage, and one to test for decreases in resource usage (of each of the current tests over pooled prior tests). These comparisons of the tests are ranked by the corresponding *p*-values. The items for which the *p*-value does not exceed the cut-off α value (0.05) are high-lighted by reporting them in a ranked table. are included in the corresponding comparison table. Up to the first 15 are included in an accompanying box-plot as well.

This high-highlighting is intended to quickly bring outliers or significant changes in resource usage to the readers attention, but the second part of the report includes a full cross test comparison of current and earlier tests each server group, resource and measure, for both *Bias* and *Rate*.

These summary results have been taken from the analysis sections of the individual NFT sessions. For the *Rate* coefficient, only those results which are considered significant in the response of the resource usage to the applied load are included. The *Bias* parameter is included wherever there was some significance in the estimated intercept value.

The coefficients are determined from linear models regressing the resource usage onto the throughput

observed. A model is generated for each server class in the server classification list for the specific project's server landscape. In each case, the resource usage is a measure of the resource usage, and these metrics are added up for all servers in the class. In addition, for the z/OS workload, the RMF measured CPU for each address space of interest is totalled and used as resource measure to regress onto the throughput observed (field R791TCPU of RMF record type 79 subtype one is used for this). A class is simply a group of servers intended to deliver the function to the application. The class name is intended to indicate the function provided (for example, TFIM_CLIENT). For each linear model, two coefficients are estimated. The Bias/Intercept is an estimate of the background resource usage, which is independent of the load applied. This load could be unrelated or overhead workload on a shared server or overhead workload on dedicated servers. For dedicated servers, this value is expected to be reasonably small as it should only reflect the overhead in managing and monitoring the workload. For shared servers, the value should ideally be reasonably low, and where this is the case, this indicates a reasonably controlled test environment (making the shared server behave like a dedicated server for the test duration). Where there is workload on a shared server/servers unrelated to the system under test during a test, the additional workload may confound the estimation of the Rate coefficient, making the required resource usage over or understated.

The *Rate* is the coefficient on the achieved load. This is usually the session rate or customer arrival rate, measure in customer arrivals per second. Depending on the NFT setup, a session would do either a chain of application functions on behalf of a single business/user-level function or may do a single function or operation. This distinction usually correlates to simulating end-users (multiple calls/operations within a session) or single function/call/operation within a session (system to system or device to device calls). In either case, the Rate coefficient is the session arrival rate achieved.

The interpretation of the *Rate* coefficient is that it is the resource cost in (one of) the appropriate metric for the server type, and hence is the estimated cost in terms that metric of a single session per second (or customer arrival per second).

| Coef | Description |
|------|--|
| Rate | Resource usage per customer arrival per second. |
| Bias | Load independent source usage or background load |

2 Server classification from application landscape

```
## The following files in landscape match pattern "Server_Classification.*csv":  
##     File = CMLEcoSystem_Server_Classification.csv  
##     File = CMLEcoSystem_Server_Classification.csv with 5 rows added to total making 10 rows
```

| Classification | Server | IP_Address | OSType | Description | Hardware_Support | Support | Application_Support | Support | RESOURCE_FILE |
|----------------|-----------|---------------|--------|---------------|------------------|-----------------|---------------------|-----------------|--|
| LOAD | LOAD0 | 176.67.166.8 | Linux | CML EcoSystem | Patrick Hayward | Patrick Hayward | Patrick Hayward | Patrick Hayward | CMLEcoSystem_Server_Classification.csv |
| LOAD | LOAD1 | 176.67.166.8 | Linux | CML EcoSystem | Patrick Hayward | Patrick Hayward | Patrick Hayward | Patrick Hayward | CMLEcoSystem_Server_Classification.csv |
| MODEL | MODELAPP0 | 176.67.166.10 | Linux | CML EcoSystem | Patrick Hayward | Patrick Hayward | Patrick Hayward | Patrick Hayward | CMLEcoSystem_Server_Classification.csv |
| MODEL | MODELAPP1 | 176.67.166.10 | Linux | CML EcoSystem | Patrick Hayward | Patrick Hayward | Patrick Hayward | Patrick Hayward | CMLEcoSystem_Server_Classification.csv |

| Classification | Server | IP_Address | OSType | Description | Hardware_Support | Support_Support | Application_Support | SOURCE_FILE |
|----------------|-----------|----------------|--------|------------------|--------------------|--------------------|---------------------|------------------------------------|
| NETWORK | NETWORK09 | 123.111.111.11 | Linux | CML EcoSystem | Patrick Hayward | Patrick Hayward | Patrick Hayward | CMLEcoSystem_Server_Classification |

3 Comparison of current tests to pooled earlier tests

The last test date in the summary data is used to delimit the prior tests from the tests in the last test session. This section compares the resource usage for each resource type and measure for each server group to the corresponding pooled resource usage and measure for the server group. The current test(s) are the tests performed on 2022-01-22. Resource usage metrics are pooled only where the corresponding *p*-value is demonstrates some confidence in the estimated coefficient.

3.1 Differences in resource usage

The following show the comparisons of the tests performed on 2022-01-22 as compared to the tests performed before this date. The tables are ranked in increasing order of the *p*-values from the corresponding Welch Modified Two-Sample t-Test (two.sided), starting from server group where the resource usage distribution differences are the greatest. Results are only shown for which the *p*-value is less than or equal to the cutoff value ($\alpha = 0.05$).

3.1.1 Test 1 - TermAppISO


3.1.1.1 Resource class: CPU

3.1.1.1.1

The following compares the Rate coefficient for the CPU resource usage differences from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCoun | PrevEst | PrevSEM | Pvalue.d |
|---------|------|-------|-------------------|--------------------------|----------|------------|----------|---------|---------|----------|
| LOAD | Rate | 81 | cpu.cpu.system.us | Percent single processor | 0.955 | 0.009 | 1688 | 2.959 | 0.061 | 0 |
| MODEL | Rate | 81 | cpu.cpu.system.us | Percent single processor | 0.540 | 0.048 | 1590 | 2.292 | 0.069 | 0 |
| NETWORK | Rate | 81 | cpu.cpu.system.us | Percent single processor | 1.035 | 0.256 | 491 | 1.544 | 0.091 | 0 |

```
## Loading required package: grid
```




3.1.1.2

The following compares the Bias coefficient for the CPU resource usage differences from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCoun | PrevEst | PrevSEM | pvalue.d |
|---------|------|-------|-------------------|--------------------------|----------|------------|----------|---------|---------|----------|
| LOAD | Bias | 81 | cpu.cpu.system.us | Percent single processor | 1.498 | 0.180 | 1666 | 30.805 | 1.149 | 0 |
| MODEL | Bias | 81 | cpu.cpu.system.us | Percent single processor | 8.751 | 1.011 | 1688 | 122.353 | 2.257 | 0 |
| NETWORK | Rs | 81 | cpu.cpu.system.us | Percent single processor | 96.086 | 5.356 | 906 | 40.560 | 1.470 | 0 |

Items with largest difference in resource usage distribution



3.1.1.2 Resource class: Network


3.1.1.2.1

The following compares the Rate coefficient for the Network resource usage differences from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.d |
|---------|------|-------|--------|-----------------|------------|------------|-----------|-----------|---------|----------|
| MODEL | Rate | 81 | recv | bits per second | 12517.495 | 113.161 | 1610 | 16642.894 | 319.937 | 0 |
| LOAD | Rate | 81 | recv | bits per second | 23417.502 | 151.678 | 1688 | 19165.652 | 135.621 | 0 |
| NETWORK | Rate | 81 | sent | bits per second | 172032.924 | 13421.408 | 48 | 939.561 | 362.238 | 0 |
| MODEL | Rate | 81 | sent | bits per second | 13038.938 | 285.724 | 1461 | 16009.604 | 179.264 | 0 |
| NETWORK | Rate | 81 | recv | bits per second | 7152.579 | 633.570 | 289 | 3493.554 | 350.520 | 0 |

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.d |
|-------|------|-------|--------|-----------------|-----------|------------|-----------|-----------|---------|----------|
| LOAD | Rate | 81 | sent | bits per second | 28163.931 | 212.231 | 1688 | 26939.469 | 239.653 | 0 |

Items with largest difference in resource usage distribution



Copyright (c) 2022 Code Magus Limited. All rights reserved.

| Key | Group |
|-----|---|
| A | MODEL Rate bits per second Network Usage recv |
| B | LOAD Rate bits per second Network Usage recv |
| C | NETWORK Rate bits per second Network Usage sent |
| D | MODEL Rate bits per second Network Usage sent |
| E | NETWORK Rate bits per second Network Usage recv |
| F | LOAD Rate bits per second Network Usage sent |


3.1.1.2.2

The following compares the Bias coefficient for the Network resource usage differences from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.d |
|-------|------|-------|--------|-----------------|-----------|------------|-----------|----------|-----------|----------|
| MODEL | Bias | 81 | recv | bits per second | 78885.79 | 2369.895 | 1664 | 414114.1 | 8070.142 | 0 |
| MODEL | Bias | 81 | sent | bits per second | 151017.36 | 5983.815 | 1664 | 631932.3 | 12030.724 | 0 |

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.d |
|---------|------|-------|--------|-----------------|-----------|------------|-----------|----------|-----------|----------|
| NETWORK | Kas | 81 | recv | bits per second | 630081.82 | 13268.610 | 436 | 733168.8 | 25437.137 | 0 |
| LOAD | Bias | 81 | recv | bits per second | 147656.33 | 3176.535 | 1610 | 189422.3 | 2073.371 | 0 |
| LOAD | Bias | 81 | sent | bits per second | 396176.83 | 4444.663 | 1688 | 344886.9 | 4636.047 | 0 |

Items with largest difference in resource usage distribution



Copyright (c) 2022 Code Magus Limited. All rights reserved.

| Key | Group |
|-----|---|
| A | MODEL Bias bits per second Network Usage recv |
| B | MODEL Bias bits per second Network Usage sent |
| C | NETWORK Bias bits per second Network Usage recv |
| D | LOAD Bias bits per second Network Usage recv |
| E | LOAD Bias bits per second Network Usage sent |

3.2 Increases in resource usage

The following show the comparisons of the tests performed on 2022-01-22 as compared to the tests performed before this date. The tables are ranked in increasing order of the *p*-values from the corresponding Welch Modified Two-Sample t-Test (greater), starting from server group where the resource usage distribution increases are the greatest. Results are only shown for which the *p*-value is

less than or equal to the cutoff value ($\alpha = 0.05$).

3.2.1 Test 1 - TermAppISO

3.2.1.1 Resource class: CPU


3.2.1.1.1

There are no significant increases for the Rate coefficient for the test that started at CPU when compared to the 2022-01-22 23:12:01 resource usage from previous pooled test results.

3.2.1.1.2

The following compares the Bias coefficient for the CPU resource usage increases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCoun | PrevEst | PrevSEM | value.g |
|----------|------|-------|-------------------|--------------------------|----------|------------|----------|---------|---------|---------|
| NETWORKs | 81 | | cpu.cpu.system.us | Percent single processor | 96.086 | 5.356 | 906 | 40.56 | 1.47 | 0 |




| Key | Group |
|-----|---|
| A | NETWORK Bias Percent single processor CPU Usage |

3.2.1.2 Resource class: Network

3.2.1.2.1

The following compares the Rate coefficient for the Network resource usage increases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.g |
|---------|------|-------|--------|-----------------|------------|------------|-----------|-----------|---------|----------|
| LOAD | Rate | 81 | recv | bits per second | 23417.502 | 151.678 | 1688 | 19165.652 | 135.621 | 0 |
| LOAD | Rate | 81 | sent | bits per second | 28163.931 | 212.231 | 1688 | 26939.469 | 239.653 | 0 |
| NETWORK | Rate | 81 | recv | bits per second | 7152.579 | 633.570 | 289 | 3493.554 | 350.520 | 0 |
| NETWORK | Rate | 81 | sent | bits per second | 172032.924 | 13421.408 | 48 | 939.561 | 362.238 | 0 |




| Key | Group |
|-----|---|
| A | LOAD Rate bits per second Network Usage recv |
| B | LOAD Rate bits per second Network Usage sent |
| C | NETWORK Rate bits per second Network Usage recv |
| D | NETWORK Rate bits per second Network Usage sent |

3.2.1.2.2

The following compares the Bias coefficient for the Network resource usage increases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.g |
|-------|------|-------|--------|-----------------|----------|------------|-----------|----------|----------|----------|
| LOAD | Bias | 81 | sent | bits per second | 396176.8 | 4444.663 | 1688 | 344886.9 | 4636.047 | 0 |

Items with largest increase in resource usage distribution



| Key | Group |
|-----|--|
| A | LOAD Bias bits per second Network Usage sent |

3.3 Decreases in resource usage

The following show the comparisons of the tests performed on 2022-01-22 as compared to the tests performed before this date. The tables are ranked in increasing order of the p -values from the corresponding Welch Modified Two-Sample t-Test (less), starting from server group where the resource usage distribution decreases are the greatest. Results are only shown for which the p -value is less than or equal to the cutoff value ($\alpha = 0.05$).

3.3.1 Test 1 - TermAppISO


3.3.1.1 Resource class: CPU

3.3.1.1.1

The following compares the Rate coefficient for the CPU resource usage decreases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCoun | PrevEst | PrevSEM | value.l |
|---------|------|-------|-------------------|--------------------------|----------|------------|----------|---------|---------|---------|
| LOAD | Rate | 81 | cpu.cpu.system.us | Percent single processor | 0.955 | 0.009 | 1688 | 2.959 | 0.061 | 0 |
| MODEL | Rate | 81 | cpu.cpu.system.us | Percent single processor | 0.540 | 0.048 | 1590 | 2.292 | 0.069 | 0 |
| NETWORK | Rate | 81 | cpu.cpu.system.us | Percent single processor | 1.035 | 0.256 | 491 | 1.544 | 0.091 | 0 |

Items with largest decrease in resource usage distribution




| Key | Group |
|-----|---|
| A | LOAD Rate Percent single processor CPU Usage |
| B | MODEL Rate Percent single processor CPU Usage |
| C | NETWORK Rate Percent single processor CPU Usage |

3.3.1.1.2

The following compares the Bias coefficient for the CPU resource usage decreases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | Pvalue.l |
|-----------|------|-------------------|--------------------------|-------|----------|------------|-----------|---------|---------|----------|
| LOAD Bias | 81 | cpu.cpu.system.us | Percent single processor | | 1.498 | 0.180 | 1666 | 30.805 | 1.149 | 0 |
| MODEBias | 81 | cpu.cpu.system.us | Percent single processor | | 8.751 | 1.011 | 1688 | 122.353 | 2.257 | 0 |



Copyright (c) 2022 Code Magus Limited. All rights reserved.

| Key | Group |
|-----|---|
| A | LOAD Bias Percent single processor CPU Usage |
| B | MODEL Bias Percent single processor CPU Usage |


3.3.1.2 Resource class: Network

3.3.1.2.1

The following compares the Rate coefficient for the Network resource usage decreases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.l |
|-----------|------|-------|--------|-----------------|----------|------------|-----------|----------|---------|----------|
| MODEIRate | | 81 | recv | bits per second | 12517.50 | 113.161 | 1610 | 16642.89 | 319.937 | 0 |
| MODEIRate | | 81 | sent | bits per second | 13038.94 | 285.724 | 1461 | 16009.60 | 179.264 | 0 |

Items with largest decrease in resource usage distribution



copyright (c) 2022 Code Magus Limited. All rights reserved.


| Key | Group |
|-----|---|
| A | MODEL Rate bits per second Network Usage recv |
| B | MODEL Rate bits per second Network Usage sent |

3.3.1.2.2

The following compares the Bias coefficient for the Network resource usage decreases from the test started at 2022-01-22 23:12:01 to the tests from previous test sessions.

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.l |
|-------------|------|-------|--------|-----------------|-----------|------------|-----------|----------|-----------|----------|
| MODEL Bias | | 81 | recv | bits per second | 78885.79 | 2369.895 | 1664 | 414114.1 | 8070.142 | 0 |
| MODEL Bias | | 81 | sent | bits per second | 151017.36 | 5983.815 | 1664 | 631932.3 | 12030.724 | 0 |
| NETWORKBias | | 81 | recv | bits per second | 630081.82 | 13268.610 | 436 | 733168.8 | 25437.137 | 0 |

| Class | Coef | Count | Metric | Units | Estimate | Std..Error | PrevCount | PrevEst | PrevSEM | pvalue.1 |
|-------|------|-------|--------|-----------------|-----------|------------|-----------|----------|----------|----------|
| LOAD | Bias | 81 | recv | bits per second | 147656.33 | 3176.535 | 1610 | 189422.3 | 2073.371 | 0 |



| Key | Group |
|-----|---|
| A | MODEL Bias bits per second Network Usage recv |
| B | MODEL Bias bits per second Network Usage sent |
| C | NETWORK Bias bits per second Network Usage recv |
| D | LOAD Bias bits per second Network Usage recv |

4 Comparison of resource usage across tests

This section compares the resource usage between the NFT tests to date for each of the groups/servers in the classification list for which data has been collected.


In the box-plots that follow, in each case, the centre is the estimated value of the coefficient calculated for the particular test. The lower edge of the box is the corresponding estimated value less the standard error, and the upper edge of the box is the corresponding estimated value plus the standard error. The minimum and maximum values are calculated by taking two times the standard error values in a similar manner.

4.1 CPU Resource usage for LOAD by CPU Usage using cpu.cpu.system.user in Percent single processor

| Server | OSType | Description |
|--------|--------|---------------|
| LOAD0 | Linux | CML EcoSystem |
| LOAD1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 4.852 | 0.356 | 13.627 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Rate | 5.021 | 0.271 | 18.501 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 7.444 | 0.602 | 12.360 | 0 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 5.138 | 0.277 | 18.561 | 0 | TermAppISO |
| 2020-12-16 | Rate | 9.780 | 0.574 | 17.034 | 0 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Rate | 10.198 | 0.584 | 17.447 | 0 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 8.606 | 0.718 | 11.993 | 0 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 0.973 | 0.022 | 44.250 | 0 | TermAppISO |
| 2021-05-10 | Rate | 0.680 | 0.066 | 10.297 | 0 | TermAppISO |
| 2021-05-20 | Rate | 0.710 | 0.013 | 52.850 | 0 | TermAppISO |
| 2021-06-28 | Rate | 0.834 | 0.035 | 23.721 | 0 | TermAppISO |
| 2021-06-29 | Rate | 0.963 | 0.014 | 66.737 | 0 | TermAppISO |
| 2021-07-16 | Rate | 1.059 | 0.029 | 37.102 | 0 | TermAppISO |
| 2021-07-19 | Rate | 1.041 | 0.034 | 30.497 | 0 | TermAppISO |
| 2021-07-22 | Rate | 0.786 | 0.018 | 44.845 | 0 | TermAppISO |
| 2021-07-23 | Rate | 1.139 | 0.014 | 81.322 | 0 | TermAppISO |
| 2021-07-27 | Rate | 0.915 | 0.011 | 85.841 | 0 | TermAppISO |
| 2021-07-28 | Rate | 0.989 | 0.013 | 75.418 | 0 | TermAppISO |
| 2021-08-02 | Rate | 0.966 | 0.010 | 98.329 | 0 | TermAppISO |
| 2021-10-20 | Rate | 0.955 | 0.011 | 88.314 | 0 | TermAppISO |
| 2021-11-01 | Rate | 0.976 | 0.009 | 102.979 | 0 | TermAppISO |
| 2021-11-03 | Rate | 0.984 | 0.010 | 103.496 | 0 | TermAppISO |
| 2022-01-05 | Rate | 0.953 | 0.008 | 121.697 | 0 | TermAppISO |
| 2022-01-21 | Rate | 0.944 | 0.011 | 84.831 | 0 | TermAppISO |
| 2022-01-22 | Rate | 0.955 | 0.009 | 110.948 | 0 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Bias | 59.012 | 7.451 | 7.921 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 60.847 | 5.668 | 10.735 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 124.874 | 11.476 | 10.882 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 57.803 | 5.740 | 10.071 | 0.000 | TermAppISO |
| 2020-12-16 | Bias | 110.050 | 10.485 | 10.496 | 0.000 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 101.540 | 10.390 | 9.773 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 124.248 | 13.091 | 9.491 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 4.653 | 0.462 | 10.075 | 0.000 | TermAppISO |
| 2021-05-20 | Bias | 3.599 | 0.216 | 16.641 | 0.000 | TermAppISO |
| 2021-06-28 | Bias | 1.532 | 0.539 | 2.841 | 0.006 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-06-29 | Bias | 1.399 | 0.205 | 6.822 | 0.000 | TermAppISO |
| 2021-07-16 | Bias | 1.648 | 0.283 | 5.824 | 0.000 | TermAppISO |
| 2021-07-19 | Bias | 4.109 | 0.698 | 5.884 | 0.000 | TermAppISO |
| 2021-07-22 | Bias | 3.138 | 0.269 | 11.687 | 0.000 | TermAppISO |
| 2021-07-23 | Bias | 1.224 | 0.295 | 4.150 | 0.000 | TermAppISO |
| 2021-07-27 | Bias | 4.675 | 0.229 | 20.451 | 0.000 | TermAppISO |
| 2021-07-28 | Bias | 2.737 | 0.279 | 9.813 | 0.000 | TermAppISO |
| 2021-08-02 | Bias | 2.891 | 0.206 | 14.055 | 0.000 | TermAppISO |
| 2021-10-20 | Bias | 1.636 | 0.223 | 7.322 | 0.000 | TermAppISO |
| 2021-11-01 | Bias | 2.289 | 0.201 | 11.393 | 0.000 | TermAppISO |
| 2021-11-03 | Bias | 1.197 | 0.201 | 5.946 | 0.000 | TermAppISO |
| 2022-01-05 | Bias | 1.373 | 0.168 | 8.190 | 0.000 | TermAppISO |
| 2022-01-21 | Bias | 1.465 | 0.235 | 6.244 | 0.000 | TermAppISO |
| 2022-01-22 | Bias | 1.498 | 0.180 | 8.305 | 0.000 | TermAppISO |




4.2 Network Resource usage for LOAD by Network Usage recv using recv in bits per second

| Server | OSType | Description |
|--------|--------|---------------|
| LOAD0 | Linux | CML EcoSystem |
| LOAD1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 15663.585 | 818.945 | 19.127 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Rate | 15753.089 | 745.948 | 21.118 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 8938.586 | 692.304 | 12.911 | 0 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 19602.564 | 1989.670 | 9.852 | 0 | TermAppISO |
| 2020-12-16 | Rate | 12978.364 | 542.369 | 23.929 | 0 | TermAppISO Integrator Routing Changes |


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|-------------------------------------|
| 2020-12-16 | Rate | 12795.930 | 585.131 | 21.868 | 0 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 11544.987 | 748.371 | 15.427 | 0 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 23224.409 | 297.261 | 78.128 | 0 | TermAppISO |
| 2021-05-10 | Rate | 14748.670 | 1755.623 | 8.401 | 0 | TermAppISO |
| 2021-05-20 | Rate | 14621.637 | 272.552 | 53.647 | 0 | TermAppISO |
| 2021-06-28 | Rate | 10629.033 | 511.557 | 20.778 | 0 | TermAppISO |
| 2021-06-29 | Rate | 23164.964 | 373.138 | 62.082 | 0 | TermAppISO |
| 2021-07-16 | Rate | 23741.774 | 1043.020 | 22.763 | 0 | TermAppISO |
| 2021-07-19 | Rate | 22942.579 | 183.455 | 125.058 | 0 | TermAppISO |
| 2021-07-22 | Rate | 15398.095 | 595.974 | 25.837 | 0 | TermAppISO |
| 2021-07-23 | Rate | 24244.471 | 460.658 | 52.630 | 0 | TermAppISO |
| 2021-07-27 | Rate | 23785.093 | 366.436 | 64.909 | 0 | TermAppISO |
| 2021-07-28 | Rate | 23208.786 | 285.686 | 81.239 | 0 | TermAppISO |
| 2021-08-02 | Rate | 23422.753 | 272.802 | 85.860 | 0 | TermAppISO |
| 2021-10-20 | Rate | 22804.935 | 212.156 | 107.491 | 0 | TermAppISO |
| 2021-11-01 | Rate | 23035.483 | 183.675 | 125.415 | 0 | TermAppISO |
| 2021-11-03 | Rate | 25373.841 | 272.503 | 93.114 | 0 | TermAppISO |
| 2022-01-05 | Rate | 23414.941 | 181.379 | 129.094 | 0 | TermAppISO |
| 2022-01-21 | Rate | 23313.936 | 202.695 | 115.020 | 0 | TermAppISO |
| 2022-01-22 | Rate | 23417.502 | 151.678 | 154.390 | 0 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-07 | Bias | 117112.32 | 17136.631 | 6.834 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 128316.44 | 15580.341 | 8.236 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 164916.40 | 13191.587 | 12.502 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 79903.07 | 41255.594 | 1.937 | 0.056 | TermAppISO |
| 2020-12-16 | Bias | 124584.24 | 9904.489 | 12.579 | 0.000 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 123844.15 | 10400.926 | 11.907 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 140398.04 | 13653.452 | 10.283 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 456044.32 | 6245.241 | 73.023 | 0.000 | TermAppISO |
| 2021-05-10 | Bias | 177202.72 | 54997.316 | 3.222 | 0.004 | TermAppISO |
| 2021-05-20 | Bias | 153604.59 | 4390.310 | 34.987 | 0.000 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|------------|
| 2021-06-28 | Bias | 150601.54 | 7845.304 | 19.196 | 0.000 | TermAppISO |
| 2021-06-29 | Bias | 154516.43 | 5300.697 | 29.150 | 0.000 | TermAppISO |
| 2021-07-16 | Bias | 233115.34 | 10338.395 | 22.549 | 0.000 | TermAppISO |
| 2021-07-19 | Bias | 353663.23 | 3754.451 | 94.198 | 0.000 | TermAppISO |
| 2021-07-22 | Bias | 203343.05 | 9128.552 | 22.275 | 0.000 | TermAppISO |
| 2021-07-23 | Bias | 221648.78 | 9699.374 | 22.852 | 0.000 | TermAppISO |
| 2021-07-27 | Bias | 248432.92 | 7859.754 | 31.608 | 0.000 | TermAppISO |
| 2021-07-28 | Bias | 227386.46 | 6076.202 | 37.422 | 0.000 | TermAppISO |
| 2021-08-02 | Bias | 251195.35 | 5711.907 | 43.977 | 0.000 | TermAppISO |
| 2021-10-20 | Bias | 155883.03 | 4383.125 | 35.564 | 0.000 | TermAppISO |
| 2021-11-01 | Bias | 145018.86 | 3894.780 | 37.234 | 0.000 | TermAppISO |
| 2021-11-03 | Bias | 153313.30 | 5768.465 | 26.578 | 0.000 | TermAppISO |
| 2022-01-05 | Bias | 136028.79 | 3882.927 | 35.033 | 0.000 | TermAppISO |
| 2022-01-21 | Bias | 127287.48 | 4271.345 | 29.800 | 0.000 | TermAppISO |
| 2022-01-22 | Bias | 147656.33 | 3176.535 | 46.483 | 0.000 | TermAppISO |




4.3 Network Resource usage for LOAD by Network Usage sent using sent in bits per second

| Server | OSType | Description |
|--------|--------|---------------|
| LOAD0 | Linux | CML EcoSystem |
| LOAD1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 19028.66 | 995.145 | 19.121 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Rate | 19042.75 | 934.235 | 20.383 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 30219.17 | 2364.677 | 12.779 | 0 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 19579.56 | 958.369 | 20.430 | 0 | TermAppISO |
| 2020-12-16 | Rate | 32193.80 | 653.690 | 49.249 | 0 | TermAppISO Integrator Routing Changes |


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|-------------------------------------|
| 2020-12-16 | Rate | 31183.83 | 720.365 | 43.289 | 0 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 29416.80 | 1431.859 | 20.544 | 0 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 26987.33 | 242.256 | 111.400 | 0 | TermAppISO |
| 2021-05-10 | Rate | 19612.35 | 1623.789 | 12.078 | 0 | TermAppISO |
| 2021-05-20 | Rate | 21117.29 | 377.348 | 55.962 | 0 | TermAppISO |
| 2021-06-28 | Rate | 28204.25 | 1788.951 | 15.766 | 0 | TermAppISO |
| 2021-06-29 | Rate | 29243.75 | 436.441 | 67.005 | 0 | TermAppISO |
| 2021-07-16 | Rate | 30122.86 | 815.291 | 36.947 | 0 | TermAppISO |
| 2021-07-19 | Rate | 25840.71 | 3321.221 | 7.780 | 0 | TermAppISO |
| 2021-07-22 | Rate | 28744.37 | 1284.023 | 22.386 | 0 | TermAppISO |
| 2021-07-23 | Rate | 28074.25 | 420.903 | 66.700 | 0 | TermAppISO |
| 2021-07-27 | Rate | 27699.57 | 255.067 | 108.597 | 0 | TermAppISO |
| 2021-07-28 | Rate | 28088.95 | 298.640 | 94.056 | 0 | TermAppISO |
| 2021-08-02 | Rate | 28087.85 | 293.675 | 95.643 | 0 | TermAppISO |
| 2021-10-20 | Rate | 27810.33 | 257.964 | 107.807 | 0 | TermAppISO |
| 2021-11-01 | Rate | 28320.92 | 236.122 | 119.942 | 0 | TermAppISO |
| 2021-11-03 | Rate | 28093.59 | 227.238 | 123.631 | 0 | TermAppISO |
| 2022-01-05 | Rate | 28030.38 | 207.718 | 134.944 | 0 | TermAppISO |
| 2022-01-21 | Rate | 28016.41 | 260.622 | 107.498 | 0 | TermAppISO |
| 2022-01-22 | Rate | 28163.93 | 212.231 | 132.704 | 0 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Bias | 204158.9 | 20823.674 | 9.804 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 212375.4 | 19513.027 | 10.884 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 139054.3 | 45057.989 | 3.086 | 0.003 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 206257.3 | 19871.668 | 10.379 | 0.000 | TermAppISO |
| 2020-12-16 | Bias | 109170.1 | 11937.368 | 9.145 | 0.000 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 114274.4 | 12804.747 | 8.924 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 136247.9 | 26123.167 | 5.216 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 430030.4 | 5089.620 | 84.492 | 0.000 | TermAppISO |
| 2021-05-10 | Bias | 413513.8 | 50867.430 | 8.129 | 0.000 | TermAppISO |
| 2021-05-20 | Bias | 389686.3 | 6078.379 | 64.110 | 0.000 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-06-28 | Bias | 544271.4 | 27435.564 | 19.838 | 0.000 | TermAppISO |
| 2021-06-29 | Bias | 393824.0 | 6199.974 | 63.520 | 0.000 | TermAppISO |
| 2021-07-16 | Bias | 381222.7 | 8081.151 | 47.174 | 0.000 | TermAppISO |
| 2021-07-19 | Bias | 484032.6 | 67969.577 | 7.121 | 0.000 | TermAppISO |
| 2021-07-22 | Bias | 546152.8 | 19667.416 | 27.769 | 0.000 | TermAppISO |
| 2021-07-23 | Bias | 419787.0 | 8862.318 | 47.368 | 0.000 | TermAppISO |
| 2021-07-27 | Bias | 418372.5 | 5470.982 | 76.471 | 0.000 | TermAppISO |
| 2021-07-28 | Bias | 410292.8 | 6351.720 | 64.596 | 0.000 | TermAppISO |
| 2021-08-02 | Bias | 428311.1 | 6148.946 | 69.656 | 0.000 | TermAppISO |
| 2021-10-20 | Bias | 393043.2 | 5329.524 | 73.748 | 0.000 | TermAppISO |
| 2021-11-01 | Bias | 421157.6 | 5006.921 | 84.115 | 0.000 | TermAppISO |
| 2021-11-03 | Bias | 389673.9 | 4810.278 | 81.009 | 0.000 | TermAppISO |
| 2022-01-05 | Bias | 397363.6 | 4446.804 | 89.359 | 0.000 | TermAppISO |
| 2022-01-21 | Bias | 399252.5 | 5492.014 | 72.697 | 0.000 | TermAppISO |
| 2022-01-22 | Bias | 396176.8 | 4444.663 | 89.135 | 0.000 | TermAppISO |




4.4 CPU Resource usage for MODEL by CPU Usage using `cpu.cpu.system.user` in Percent single processor

| Server | OStype | Description |
|-----------|--------|---------------|
| MODELAPP0 | Linux | CML EcoSystem |
| MODELAPP1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 1.132 | 0.048 | 23.545 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Rate | 1.239 | 0.017 | 74.254 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 7.740 | 0.829 | 9.331 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 1.227 | 0.015 | 80.090 | 0.000 | TermAppISO |
| 2020-12-16 | Rate | 7.307 | 0.592 | 12.351 | 0.000 | TermAppISO Integrator Routing Changes |


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|-------------------------------------|
| 2020-12-16 | Rate | 7.929 | 0.581 | 13.643 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 6.526 | 0.746 | 8.752 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 1.200 | 0.129 | 9.336 | 0.000 | TermAppISO |
| 2021-05-20 | Rate | 1.473 | 0.112 | 13.117 | 0.000 | TermAppISO |
| 2021-06-28 | Rate | 0.597 | 0.113 | 5.266 | 0.000 | TermAppISO |
| 2021-06-29 | Rate | 0.866 | 0.385 | 2.249 | 0.029 | TermAppISO |
| 2021-07-16 | Rate | 1.632 | 0.220 | 7.435 | 0.000 | TermAppISO |
| 2021-07-19 | Rate | 1.370 | 0.150 | 9.104 | 0.000 | TermAppISO |
| 2021-07-22 | Rate | 0.808 | 0.055 | 14.686 | 0.000 | TermAppISO |
| 2021-07-27 | Rate | 1.189 | 0.067 | 17.836 | 0.000 | TermAppISO |
| 2021-07-28 | Rate | 1.165 | 0.147 | 7.899 | 0.000 | TermAppISO |
| 2021-08-02 | Rate | 1.146 | 0.165 | 6.969 | 0.000 | TermAppISO |
| 2021-10-20 | Rate | 1.231 | 0.094 | 13.089 | 0.000 | TermAppISO |
| 2021-11-01 | Rate | 1.296 | 0.073 | 17.692 | 0.000 | TermAppISO |
| 2021-11-03 | Rate | 1.315 | 0.095 | 13.891 | 0.000 | TermAppISO |
| 2022-01-05 | Rate | 0.607 | 0.070 | 8.680 | 0.000 | TermAppISO |
| 2022-01-21 | Rate | 0.577 | 0.074 | 7.840 | 0.000 | TermAppISO |
| 2022-01-22 | Rate | 0.540 | 0.048 | 11.191 | 0.000 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|--|
| 2020-12-07 | Bias | 4.808 | 1.006 | 4.779 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 3.084 | 0.348 | 8.849 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 180.757 | 15.805 | 11.437 | 0 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 3.996 | 0.318 | 12.580 | 0 | TermAppISO |
| 2020-12-16 | Bias | 122.689 | 10.804 | 11.356 | 0 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 117.633 | 10.331 | 11.386 | 0 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 151.751 | 13.604 | 11.155 | 0 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 25.053 | 2.701 | 9.275 | 0 | TermAppISO |
| 2021-05-10 | Bias | 129.953 | 26.227 | 4.955 | 0 | TermAppISO |
| 2021-05-20 | Bias | 121.790 | 1.809 | 67.324 | 0 | TermAppISO |
| 2021-06-28 | Bias | 699.995 | 1.738 | 402.874 | 0 | TermAppISO |
| 2021-06-29 | Bias | 26.687 | 5.467 | 4.881 | 0 | TermAppISO |
| 2021-07-16 | Bias | 23.169 | 2.176 | 10.646 | 0 | TermAppISO |
| 2021-07-19 | Bias | 24.944 | 3.080 | 8.099 | 0 | TermAppISO |
| 2021-07-22 | Bias | 694.715 | 0.843 | 824.181 | 0 | TermAppISO |
| 2021-07-23 | Bias | 395.494 | 41.801 | 9.461 | 0 | TermAppISO |
| 2021-07-27 | Bias | 28.779 | 1.429 | 20.134 | 0 | TermAppISO |
| 2021-07-28 | Bias | 26.395 | 3.137 | 8.414 | 0 | TermAppISO |
| 2021-08-02 | Bias | 27.352 | 3.444 | 7.941 | 0 | TermAppISO |
| 2021-10-20 | Bias | 23.703 | 1.943 | 12.201 | 0 | TermAppISO |
| 2021-11-01 | Bias | 26.038 | 1.553 | 16.768 | 0 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-11-03 | Bias | 26.841 | 2.004 | 13.393 | 0 | TermAppISO |
| 2022-01-05 | Bias | 8.719 | 1.497 | 5.825 | 0 | TermAppISO |
| 2022-01-21 | Bias | 7.962 | 1.550 | 5.136 | 0 | TermAppISO |
| 2022-01-22 | Bias | 8.751 | 1.011 | 8.653 | 0 | TermAppISO |




4.5 Network Resource usage for MODEL by Network Usage recv using recv in bits per second

| Server | OSType | Description |
|-----------|--------|---------------|
| MODELAPP0 | Linux | CML EcoSystem |
| MODELAPP1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 24100.050 | 954.550 | 25.248 | 0.000 | TermAppISO Integrator Routing Regression |


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-08 | Rate | 25548.990 | 271.665 | 94.046 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 14069.744 | 920.324 | 15.288 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 24302.467 | 713.257 | 34.073 | 0.000 | TermAppISO |
| 2020-12-16 | Rate | 17467.524 | 683.900 | 25.541 | 0.000 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Rate | 17365.660 | 680.340 | 25.525 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 17074.863 | 664.909 | 25.680 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 24560.174 | 304.261 | 80.721 | 0.000 | TermAppISO |
| 2021-05-10 | Rate | 17389.627 | 5929.025 | 2.933 | 0.008 | TermAppISO |
| 2021-05-20 | Rate | 16631.667 | 971.810 | 17.114 | 0.000 | TermAppISO |
| 2021-06-28 | Rate | 15585.305 | 6115.750 | 2.548 | 0.013 | TermAppISO |
| 2021-06-29 | Rate | 24051.354 | 1557.272 | 15.445 | 0.000 | TermAppISO |
| 2021-07-16 | Rate | 12907.062 | 539.876 | 23.907 | 0.000 | TermAppISO |
| 2021-07-19 | Rate | 12306.350 | 138.379 | 88.932 | 0.000 | TermAppISO |
| 2021-07-22 | Rate | 4888.864 | 1017.101 | 4.807 | 0.000 | TermAppISO |
| 2021-07-27 | Rate | 12716.180 | 200.060 | 63.562 | 0.000 | TermAppISO |
| 2021-07-28 | Rate | 12301.593 | 150.338 | 81.826 | 0.000 | TermAppISO |
| 2021-08-02 | Rate | 12555.650 | 156.231 | 80.366 | 0.000 | TermAppISO |
| 2021-10-20 | Rate | 12196.657 | 151.636 | 80.434 | 0.000 | TermAppISO |
| 2021-11-01 | Rate | 12349.415 | 110.632 | 111.626 | 0.000 | TermAppISO |
| 2021-11-03 | Rate | 27014.037 | 308.750 | 87.495 | 0.000 | TermAppISO |
| 2022-01-05 | Rate | 12727.093 | 137.665 | 92.449 | 0.000 | TermAppISO |
| 2022-01-21 | Rate | 12517.454 | 144.238 | 86.783 | 0.000 | TermAppISO |
| 2022-01-22 | Rate | 12517.495 | 113.161 | 110.616 | 0.000 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|------------|------------|---------|---------|--|
| 2020-12-07 | Bias | 64596.51 | 19974.205 | 3.234 | 0.002 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 52159.33 | 5674.160 | 9.192 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 158388.92 | 17536.412 | 9.032 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 67665.26 | 14789.314 | 4.575 | 0.000 | TermAppISO |
| 2020-12-16 | Bias | 128789.60 | 12489.057 | 10.312 | 0.000 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 130831.54 | 12093.291 | 10.819 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 132636.80 | 11969.911 | 11.081 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 462642.65 | 6392.297 | 72.375 | 0.000 | TermAppISO |
| 2021-05-20 | Bias | 177120.97 | 15654.052 | 11.315 | 0.000 | TermAppISO |
| 2021-06-28 | Bias | 3552601.09 | 93791.875 | 37.877 | 0.000 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|------------|------------|---------|---------|------------|
| 2021-06-29 | Bias | 180897.77 | 22122.205 | 8.177 | 0.000 | TermAppISO |
| 2021-07-16 | Bias | 118244.76 | 5351.244 | 22.097 | 0.000 | TermAppISO |
| 2021-07-19 | Bias | 180920.17 | 2831.954 | 63.885 | 0.000 | TermAppISO |
| 2021-07-22 | Bias | 1808374.69 | 15578.961 | 116.078 | 0.000 | TermAppISO |
| 2021-07-23 | Bias | 1275083.95 | 143254.541 | 8.901 | 0.000 | TermAppISO |
| 2021-07-27 | Bias | 129537.85 | 4238.183 | 30.564 | 0.000 | TermAppISO |
| 2021-07-28 | Bias | 119129.01 | 3197.513 | 37.257 | 0.000 | TermAppISO |
| 2021-08-02 | Bias | 129211.50 | 3271.163 | 39.500 | 0.000 | TermAppISO |
| 2021-10-20 | Bias | 82472.85 | 3132.791 | 26.326 | 0.000 | TermAppISO |
| 2021-11-01 | Bias | 76649.39 | 2345.929 | 32.673 | 0.000 | TermAppISO |
| 2021-11-03 | Bias | 162240.16 | 6535.773 | 24.823 | 0.000 | TermAppISO |
| 2022-01-05 | Bias | 71044.08 | 2947.120 | 24.106 | 0.000 | TermAppISO |
| 2022-01-21 | Bias | 67070.11 | 3039.485 | 22.066 | 0.000 | TermAppISO |
| 2022-01-22 | Bias | 78885.79 | 2369.895 | 33.287 | 0.000 | TermAppISO |




4.6 Network Resource usage for MODEL by Network Usage sent using sent in bits per second

| Server | OStype | Description |
|-----------|--------|---------------|
| MODELAPP0 | Linux | CML EcoSystem |
| MODELAPP1 | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-07 | Rate | 23083.902 | 924.847 | 24.960 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Rate | 24600.259 | 251.866 | 97.672 | 0.000 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Rate | 6362.325 | 852.572 | 7.463 | 0.000 | TermAppISO Int Routing Regression |
| 2020-12-09 | Rate | 23318.892 | 749.322 | 31.120 | 0.000 | TermAppISO |
| 2020-12-16 | Rate | 10756.811 | 769.527 | 13.978 | 0.000 | TermAppISO Integrator Routing Changes |


| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|-------------------------------------|
| 2020-12-16 | Rate | 10172.372 | 701.912 | 14.492 | 0.000 | TermAppISO with 40 provider threads |
| 2020-12-16 | Rate | 8940.326 | 678.158 | 13.183 | 0.000 | TermAppISO with 80 provider threads |
| 2021-01-15 | Rate | 24097.187 | 241.131 | 99.934 | 0.000 | TermAppISO |
| 2021-05-10 | Rate | 18230.092 | 7038.605 | 2.590 | 0.018 | TermAppISO |
| 2021-05-20 | Rate | 18196.215 | 1111.117 | 16.377 | 0.000 | TermAppISO |
| 2021-06-29 | Rate | 25419.663 | 2207.053 | 11.517 | 0.000 | TermAppISO |
| 2021-07-16 | Rate | 13989.533 | 569.403 | 24.569 | 0.000 | TermAppISO |
| 2021-07-19 | Rate | 13062.866 | 297.431 | 43.919 | 0.000 | TermAppISO |
| 2021-07-27 | Rate | 12926.270 | 314.888 | 41.050 | 0.000 | TermAppISO |
| 2021-07-28 | Rate | 12952.805 | 316.605 | 40.912 | 0.000 | TermAppISO |
| 2021-08-02 | Rate | 13035.814 | 323.636 | 40.279 | 0.000 | TermAppISO |
| 2021-10-20 | Rate | 13004.281 | 338.117 | 38.461 | 0.000 | TermAppISO |
| 2021-11-01 | Rate | 13323.914 | 318.529 | 41.829 | 0.000 | TermAppISO |
| 2021-11-03 | Rate | 26029.614 | 603.093 | 43.160 | 0.000 | TermAppISO |
| 2022-01-05 | Rate | 14855.837 | 377.936 | 39.308 | 0.000 | TermAppISO |
| 2022-01-21 | Rate | 12984.010 | 335.359 | 38.717 | 0.000 | TermAppISO |
| 2022-01-22 | Rate | 13038.938 | 285.724 | 45.635 | 0.000 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|--|
| 2020-12-07 | Bias | 186452.2 | 19352.666 | 9.634 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-08 | Bias | 167394.2 | 5260.624 | 31.820 | 0 | TermAppISO Integrator Routing Regression |
| 2020-12-09 | Bias | 331861.2 | 16245.425 | 20.428 | 0 | TermAppISO Int Routing Regression |
| 2020-12-09 | Bias | 187742.4 | 15537.099 | 12.083 | 0 | TermAppISO |
| 2020-12-16 | Bias | 307108.4 | 14052.742 | 21.854 | 0 | TermAppISO Integrator Routing Changes |
| 2020-12-16 | Bias | 291049.7 | 12476.750 | 23.327 | 0 | TermAppISO with 40 provider threads |
| 2020-12-16 | Bias | 400012.4 | 12208.426 | 32.765 | 0 | TermAppISO with 80 provider threads |
| 2021-01-15 | Bias | 365642.3 | 5065.982 | 72.176 | 0 | TermAppISO |
| 2021-05-20 | Bias | 314872.1 | 17898.032 | 17.593 | 0 | TermAppISO |
| 2021-06-28 | Bias | 4491325.5 | 152240.008 | 29.502 | 0 | TermAppISO |

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|------------|
| 2021-06-29 | Bias | 320788.4 | 31352.822 | 10.232 | 0 | TermAppISO |
| 2021-07-16 | Bias | 146356.9 | 5643.910 | 25.932 | 0 | TermAppISO |
| 2021-07-19 | Bias | 157004.9 | 6086.997 | 25.793 | 0 | TermAppISO |
| 2021-07-22 | Bias | 3053866.8 | 18802.581 | 162.417 | 0 | TermAppISO |
| 2021-07-23 | Bias | 2045037.6 | 209529.611 | 9.760 | 0 | TermAppISO |
| 2021-07-27 | Bias | 163493.5 | 6670.780 | 24.509 | 0 | TermAppISO |
| 2021-07-28 | Bias | 161652.7 | 6733.818 | 24.006 | 0 | TermAppISO |
| 2021-08-02 | Bias | 161834.7 | 6776.274 | 23.883 | 0 | TermAppISO |
| 2021-10-20 | Bias | 166418.5 | 6985.473 | 23.824 | 0 | TermAppISO |
| 2021-11-01 | Bias | 201005.7 | 6754.339 | 29.759 | 0 | TermAppISO |
| 2021-11-03 | Bias | 336918.1 | 12766.558 | 26.391 | 0 | TermAppISO |
| 2022-01-05 | Bias | 141478.7 | 8090.786 | 17.486 | 0 | TermAppISO |
| 2022-01-21 | Bias | 149527.6 | 7066.926 | 21.159 | 0 | TermAppISO |
| 2022-01-22 | Bias | 151017.4 | 5983.815 | 25.238 | 0 | TermAppISO |




4.7 Network Resource usage for NETWORK by Network Usage recv using recv in bits per second

| Server | OSType | Description |
|---------|--------|---------------|
| NETWORK | Linux | CML EcoSystem |

The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-05-20 | Rate | 6289.748 | 592.594 | 10.614 | 0.000 | TermAppISO |
| 2021-06-28 | Rate | 2711.282 | 448.421 | 6.046 | 0.000 | TermAppISO |
| 2021-11-03 | Rate | 2393.903 | 942.795 | 2.539 | 0.013 | TermAppISO |
| 2022-01-21 | Rate | 3353.755 | 630.632 | 5.318 | 0.000 | TermAppISO |
| 2022-01-22 | Rate | 7152.579 | 633.570 | 11.289 | 0.000 | TermAppISO |




TermAppISO

Copyright (c) 2022 Code Magus Limited. All rights reserved.

The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|-----------|------------|---------|---------|------------|
| 2021-05-10 | Bias | 1617885.6 | 328037.628 | 4.932 | 0 | TermAppISO |
| 2021-05-20 | Bias | 651687.7 | 9991.711 | 65.223 | 0 | TermAppISO |
| 2021-06-28 | Bias | 674006.3 | 6877.032 | 98.008 | 0 | TermAppISO |
| 2021-06-29 | Bias | 629183.3 | 163624.078 | 3.845 | 0 | TermAppISO |
| 2021-11-03 | Bias | 727386.9 | 19957.523 | 36.447 | 0 | TermAppISO |
| 2022-01-05 | Bias | 737716.5 | 29233.540 | 25.235 | 0 | TermAppISO |
| 2022-01-21 | Bias | 665248.1 | 13289.133 | 50.060 | 0 | TermAppISO |
| 2022-01-22 | Bias | 630081.8 | 13268.610 | 47.487 | 0 | TermAppISO |




4.8 Network Resource usage for NETWORK by Network Usage sent using sent in bits per second

| Server | OStype | Description |
|---------|--------|---------------|
| NETWORK | Linux | CML EcoSystem |


The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|------------|------------|---------|---------|------------|
| 2021-06-29 | Rate | 939.561 | 362.238 | 2.594 | 0.013 | TermAppISO |
| 2021-11-03 | Rate | 378.615 | 225.632 | 1.678 | 0.097 | TermAppISO |
| 2022-01-22 | Rate | 172032.924 | 13421.408 | 12.818 | 0.000 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: bits per second.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|------------|-------------|---------|---------|------------|
| 2021-05-10 | Bias | 6171231.41 | 1472966.735 | 4.190 | 0.000 | TermAppISO |
| 2021-06-28 | Bias | 250236.83 | 90104.114 | 2.777 | 0.007 | TermAppISO |
| 2021-11-03 | Bias | 16570.32 | 4776.275 | 3.469 | 0.001 | TermAppISO |
| 2022-01-05 | Bias | 2936120.85 | 913344.957 | 3.215 | 0.002 | TermAppISO |
| 2022-01-21 | Bias | 41029.98 | 3836.469 | 10.695 | 0.000 | TermAppISO |




4.9 CPU Resource usage for NETWORK by CPU Usage using `cpu.cpu.system.user` in Percent single processor

| Server | OSType | Description |
|---------|--------|---------------|
| NETWORK | Linux | CML EcoSystem |


The following table shows the Rate coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-05-20 | Rate | 1.139 | 0.294 | 3.868 | 0.000 | TermAppISO |
| 2021-06-29 | Rate | 2.785 | 0.197 | 14.135 | 0.000 | TermAppISO |
| 2021-07-19 | Rate | 0.760 | 0.147 | 5.171 | 0.000 | TermAppISO |
| 2021-07-23 | Rate | 2.838 | 0.198 | 14.300 | 0.000 | TermAppISO |
| 2021-07-27 | Rate | 1.444 | 0.291 | 4.960 | 0.000 | TermAppISO |
| 2021-07-28 | Rate | 1.245 | 0.316 | 3.936 | 0.000 | TermAppISO |
| 2021-08-02 | Rate | 1.001 | 0.163 | 6.131 | 0.000 | TermAppISO |
| 2021-11-03 | Rate | 0.529 | 0.268 | 1.972 | 0.052 | TermAppISO |
| 2022-01-22 | Rate | 1.035 | 0.256 | 4.045 | 0.000 | TermAppISO |



The following table shows the Bias coefficient values over the various tests performed. In this table the units of estimate are: Percent single processor.

| TestDate | Coef | Estimate | Std..Error | t.value | p.value | Test |
|------------|------|----------|------------|---------|---------|------------|
| 2021-05-20 | Bias | 12.834 | 4.965 | 2.585 | 0.012 | TermAppISO |
| 2021-06-28 | Bias | 9.329 | 2.628 | 3.550 | 0.001 | TermAppISO |
| 2021-06-29 | Bias | 11.455 | 2.799 | 4.093 | 0.000 | TermAppISO |
| 2021-07-16 | Bias | 13.326 | 5.802 | 2.297 | 0.029 | TermAppISO |
| 2021-07-19 | Bias | 10.806 | 3.007 | 3.594 | 0.001 | TermAppISO |
| 2021-07-22 | Bias | 11.766 | 3.047 | 3.862 | 0.000 | TermAppISO |
| 2021-07-23 | Bias | 15.364 | 4.179 | 3.676 | 0.000 | TermAppISO |
| 2021-07-27 | Bias | 44.797 | 6.247 | 7.171 | 0.000 | TermAppISO |
| 2021-07-28 | Bias | 17.637 | 6.727 | 2.622 | 0.011 | TermAppISO |
| 2021-08-02 | Bias | 9.752 | 3.419 | 2.852 | 0.006 | TermAppISO |
| 2021-11-03 | Bias | 99.776 | 5.681 | 17.564 | 0.000 | TermAppISO |
| 2022-01-05 | Bias | 116.041 | 5.426 | 21.387 | 0.000 | TermAppISO |
| 2022-01-21 | Bias | 115.843 | 8.540 | 13.565 | 0.000 | TermAppISO |
| 2022-01-22 | Bias | 96.086 | 5.356 | 17.940 | 0.000 | TermAppISO |



5 Session details

```
sessionInfo();
```

```
## R version 3.6.0 (2019-04-26)
## Platform: x86_64-redhat-linux-gnu (64-bit)
## Running under: CentOS Linux 7 (Core)
##
## Matrix products: default
## BLAS/LAPACK: /usr/lib64/R/lib/libRblas.so
##
## locale:
## [1] LC_CTYPE=en_US.UTF-8          LC_NUMERIC=C
## [3] LC_TIME=en_US.UTF-8          LC_COLLATE=en_US.UTF-8
## [5] LC_MONETARY=en_US.UTF-8       LC_MESSAGES=en_US.UTF-8
## [7] LC_PAPER=en_US.UTF-8          LC_NAME=C
## [9] LC_ADDRESS=C                  LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8    LC_IDENTIFICATION=C
##
## attached base packages:
## [1] grid      stats     graphics grDevices utils      datasets  methods
## [8] base
```

```
## other attached packages:
## [1] pandoc_0.6.3      doBy_4.6.7       cmlrutils_1.19   XML_3.98-1.20
## [5] scales_1.1.1       ggplot2_3.3.2     BSDA_1.2.0       lattice_0.20-38
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.7         highr_0.8        pillar_1.4.6    compiler_3.6.0
## [5] class_7.3-15       tools_3.6.0      digest_0.6.25  evaluate_0.14
## [9] lifecycle_0.2.0    tibble_3.0.3     gtable_0.3.0   pkgconfig_2.0.3
## [13] rlang_0.4.7        Matrix_1.2-17   yaml_2.2.1     xfun_0.17
## [17] e1071_1.7-4       withr_2.2.0     stringr_1.4.0  dplyr_1.0.2
## [21] knitr_1.30        generics_0.0.2  vctrs_0.3.2    tidyselect_1.1.0
## [25] glue_1.4.1        R6_2.4.1        rmarkdown_2.6  farver_2.0.3
## [29] tidyverse_1.1.2    purrr_0.3.4     cmlbrandr_3.0  magrittr_1.5
## [33] backports_1.1.8   ellipsis_0.3.1  htmltools_0.5.0 MASS_7.3-51.4
## [37] colorspace_1.4-1  Deriv_4.0.1     labeling_0.3   stringi_1.5.3
## [41] munsell_0.5.0     broom_0.7.0     crayon_1.3.4
```